

APPENDIX C

Add

Message	Parameter Name	Param Type	Required	Acceptable Value
A	Add request	Char (1)	Yes	A = add
SEV=	Servity of notification message	Char (1)	No	1, 2, or 3
CATEGORY=	Item category is an report, call detail, or news	Char (1)	Yes	R = Report, D = Call Detail, F = News
TYPE=	Designates report type, call detail type, or news type	Char (30)	Yes	e.g. Broadband, priced, unpriced, exception, invoice, MIR, CCID, priced call detail, outage
USERID=	Designates intended recipient or audience	Char (20)	Yes	Starbucks username as assigned in StarOE
RPTID=	User report ID	Char (30)	Reports and data only	User report ID (i.e., 245)
PRIORITY=	Standardized Network Management Priority Levels	Char (1)	ONLY news	1 = fatal, 2 = major, 3 = minor, 4 = info (default), 5 = no alert
COMPRESS =	Designates whether the data has been compressed	Char (1)	Yes	0 = data not compressed, 1 = data compressed
UNOTIFY=	Says if user should be paged or emailed when the Inbox item is received by the Inbox server	Char (1)	No	0 = None (default), 1 = Page, 2 = Email, 3 = Email and page
MMADDR	Override email address	Char(75)	No	Must contain @ e.g. userA@mci.com
MMTEXT	Override email message text	Char(500)	No	
PGT	Override pager type	Char(1)	No	As supported by Star_OE
PGPIN	Override pager PIN	Char(8)	No	Numerics only
PGTXT	Override pager	Char(240)	No	Alphanumeric pagers

Add

Message	Parameter Name	Param Type	Required	Acceptable Value
	text	or Char(20)		or Numeric pagers
RPTCATEGORY=	Report category (report name)	Char (50)	ONLY report	e.g. — Longest Calls
LOC=	Location	Char (255)	Yes	File Path, name and extension
ENTPID=	Enterprise ID	Char (8)	Yes	As assigned in StarOE
RQSTDT=	Report or data request date/time stamp	Char (12)	ONLY report or data	YYYY-MM-DD HH:MM
FSIZE=	Size of associated file in bytes	Char (10)	Yes	Limit is 2147483647
RPTTITLE=	User-defined report title, call detail request name, or news short text	Char (255)	Yes	Example: "Call Duration Summary"
MSIZE=	Size of associated metadata for transfer	Char (10)	ONLY report or data	Limit is 2147483647
ERRFLAG=	Fulfilling server reported an error	Char (1)	No	0 = no error (default), 1 = error

Add Acknowledgment

Message	Parameter Name	Param Type	Required	Acceptable Value
Z	Response	Char (1)	Yes	Z
REQ=	Request which is being acknowledged	Char (1)	Yes	A, D, L, F, U
ERROR=	Error Code	Char	Yes	0 = no error or error code
INBOXID=	Inbox ID	Char(10)	No	Uniquely assigned id

XX